

```

59 DEFINE REGION: Define Setup Globals
60   Comment: Define Setup Components
61   Define Component: Default
62
63   Set Variable PROGRAM to HK oppvekst
64   Set Variable FILEININST to HKoppvekst.exe
65   Set Variable OURCOMPANY to HK data
66   Set Variable LES1 to FALSE
67   Set Variable OPPGRADER to FALSE
68   Set Variable HJEMMESIDE to FALSE
69

```

... Between here is a menu dialog

```

290 label: Oppgrader
291   Set Variable NATIVE_ENGINE to TRUE
292 label: Finn Programkatalog 1
293   Set Variable TARGETDIR to
294   Display Dialog: destination, wait for dialog to return (modal)
295   if Variable WIZARD Equals CANCEL
296     GoTo Label: Setup Menu
297   end
298   Parse String $SETUPPATH$ into Variables SETUPDIR and REST (Split at last occurrence of pattern)
299   Does File Exist $TARGETDIR$\$FILEININST$ (get result into variable FILEEXIST)
300   if Variable FILEEXIST not Equals TRUE
301     MessageBox: $PROGRAM$ - Advarsel, Dette er ikke program-katalogen!$NEWLINE$$NEWLINE$Den oppgitt
302     GoTo Label: Finn Programkatalog 1
303   end
304   Parse String $SETUPDIR$ into Variables PROGDIR and REST (Split at last occurrence of pattern)
305   Does Folder Exist $TARGETDIR$\Arkiv (get result into variable FOLDEREXIST)
306   if Variable FOLDEREXIST not Equals TRUE
307     Create Folder $TARGETDIR$\Arkiv
308   end
309   Does File Exist $SETUPDIR$\Program\$FILEININST$ (get result into variable FILEEXIST)
310   if Variable FILEEXIST not Equals TRUE
311     MessageBox: $PROGRAM$ - Advarsel, Finner ikke nedlastede filer!$NEWLINE$$NEWLINE$Last ned og på
312     GoTo Label: Setup Menu
313   end
314   Check File Version $SETUPDIR$\Program\$FILEININST$ into Variable FILEISNEWER
315   Get File Version $TARGETDIR$\$FILEININST$ into Variable OLDVERSION
316   Get File Version $SETUPDIR$\Program\$FILEININST$ into Variable NEWVERSION
317   Find All Files in path $SETUPDIR$\Program\*.*, write result into variable NEWFILES
318
319   Display Dialog: progress, use as progress dialog (non-modal)
320   for each Element FILE in | delimited Collection of $NEWFILES$ do
321     Parse String $FILE$ into Variables REST and ACTIVEFILE (Split at last occurrence of pattern)
322     if Variable FILEISNEWER Equals TRUE
323       Delete Files $TARGETDIR$\Arkiv\$ACTIVEFILE$ (when installing)
324       Move Local Files $TARGETDIR$\$ACTIVEFILE$ to $TARGETDIR$\Arkiv\
325     end
326     Delete Files $TARGETDIR$\$ACTIVEFILE$ (when installing)
327     Copy Local Files $SETUPDIR$\Program\$ACTIVEFILE$ to $TARGETDIR$\
328   next
329

```

```

330 Comment: Delete files in Utskrifter and Maler (once)
331 Delete Files $TARGETDIR$\Utskrifter\*. * (when installing)
332 Delete Files $TARGETDIR$\Maler\*. * (when installing)
333
334 Comment: Delete old versions of Maler and Utskrifter
335 Does File Exist $SETUPDIR$\Program\RemoveVersion\RemoveVersion.exe (get result into variable FILEEXIST)
336 if Variable FILEEXIST Equals TRUE
337     Get File Version $SETUPDIR$\Program\RemoveVersion\RemoveVersion.exe into Variable REMOVEVERSION
338     Delete Files $TARGETDIR$\Maler\Maler_$REMOVEVERSIONS\*. * (when installing)
339     Delete Files $TARGETDIR$\Utskrifter\Utskrifter_$REMOVEVERSIONS\*. * (when installing)
340 end
341
342 Comment: Add/Substitute files in Utskrifter
343 Set Variable NEWFILES to
344 Delete Files $TARGETDIR$\Utskrifter\Utskrifter_$NEWVERSIONS\*. * (when installing)
345 Find All Files in path $SETUPDIR$\Program\Utskrifter\*. *, write result into variable NEWFILES
346 for each Element FILE in | delimited Collection of $NEWFILES$ do
347     Parse String $FILE$ into Variables REST and ACTIVEFILE (Split at last occurrence of pattern)
348     Delete Files $TARGETDIR$\Utskrifter\Utskrifter_$NEWVERSIONS\$ACTIVEFILE$ (when installing)
349     Copy Local Files $SETUPDIR$\Program\Utskrifter\$ACTIVEFILE$ to $TARGETDIR$\Utskrifter\Utskrifter_$NEWVERSIONS\
350 next
351
352 Comment: Add/Substitute files in Maler
353 Set Variable NEWFILES to
354 Delete Files $TARGETDIR$\Maler\Maler_$NEWVERSIONS\*. * (when installing)
355 Find All Files in path $SETUPDIR$\Program\Maler\*. *, write result into variable NEWFILES
356 for each Element FILE in | delimited Collection of $NEWFILES$ do
357     Parse String $FILE$ into Variables REST and ACTIVEFILE (Split at last occurrence of pattern)
358     Delete Files $TARGETDIR$\Maler\Maler_$NEWVERSIONS\$ACTIVEFILE$ (when installing)
359     Copy Local Files $SETUPDIR$\Program\Maler\$ACTIVEFILE$ to $TARGETDIR$\Maler\Maler_$NEWVERSIONS\
360 next
361 Hide Dialog
362
363 MessageBox: $PROGRAM$, Program-oppgraderingen er utført!$NEWLINE$$NEWLINE$Gammel programversjon: $OLDVERSION$$NEW
364 Set Variable NATIVE_ENGINE to FALSE
365 GoTo Label: Setup Menu

```